

‘Left Waiting, Left Behind’ Lived Experience Survey Data Tables

Contents

1) Demographics.....	2
2) Demographics differences between social grades	4
3) Differences in experience by social grade	8
4) Self-management techniques.....	16
6) Timely diagnosis	23
7) Unreasonable waits or delays for relevant specialist appointments and test/test results	26
8) Symptoms underplayed	30
9) Communication with healthcare professionals	32
10) Treatment usefulness	41
11) Fatigue.....	45
12) Physical or manual demands	61
13) Employment.....	70
14) Retirement	74
15) Pain, fatigue, low mood or anxiousness, and isolation	77

*Where numbers are too small and risk identifying individuals, they have been replaced with **

1) Demographics

Age Grouped

Age_Group	n_unweighted	percent_unweighted	n_weighted	percent_weighted
18-44	1,036	13.1	284.4	3.6
45-64	3,847	48.5	3,865.3	48.8
65+	3,045	38.4	3,778.3	47.7

Country

Country	n_unweighted	percent_unweighted	n_weighted	percent_weighted
England	5,787	73.0	6,652.8	83.9
Northern Ireland	476	6.0	221.8	2.8
Scotland	1,021	12.9	673.2	8.5
Wales	644	8.1	380.2	4.8

What is your sex? (A later question gave the option to tell us if their gender is different from their sex registered at birth, and, if different, to record their gender).

Sex	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Female	4,811	60.7	4,645	58.6
Male	3,117	39.3	3,283	41.4

Ethnicity – grouped

Net_Ethnic_minority	n_unweighted	percent_unweighted	n_weighted	percent_weighted
No	7,495	94.5	7,577.9	95.6
Yes	426	5.4	342.5	4.3
	*	*	*	*

Respondents most impactful condition (if they had more than one type of arthritis) or their only condition - grouped

Main_Condition_Grouped	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	1,519	19.2	821.0	10.4
Autoimmune Arthritis Conditions	2,432	30.7	597.8	7.5
Osteoarthritis	3,977	50.2	6,509.3	82.1

Social grade

Social_grade	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Net: ABC1	4,113	51.9	4,065.4	51.3
Net: C2DE	3,607	45.5	3,660.0	46.2
Other	208	2.6	202.5	2.6

2) Demographics differences between social grades

Age Grouped

Social_grade	Age_Group	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Net: ABC1	18-44	672	16.3	181.3	4.5
Net: ABC1	45-64	1,843	44.8	1,862.4	45.8
Net: ABC1	65+	1,598	38.9	2,021.8	49.7
Net: C2DE	18-44	341	9.5	97.3	2.7
Net: C2DE	45-64	1,916	53.1	1,917.9	52.4
Net: C2DE	65+	1,350	37.4	1,644.8	44.9
Other	18-44	*	*	*	*
Other	45-64	88	42.3	85.1	42.0
Other	65+	97	46.6	111.7	55.1

Sex

Social_grade	Sex	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Net: ABC1	Female	2,517	61.2	2,362.2	58.1
Net: ABC1	Male	1,596	38.8	1,703.2	41.9
Net: C2DE	Female	2,165	60.0	2,156.3	58.9
Net: C2DE	Male	1,442	40.0	1,503.7	41.1
Other	Female	129	62.0	126.4	62.4

Social_grade	Sex	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Other	Male	79	38.0	76.1	37.6

Country

Social_grade	Country	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Net: ABC1	England	3,057	74.3	3,461.8	85.2
Net: ABC1	Northern Ireland	235	5.7	104.0	2.6
Net: ABC1	Scotland	505	12.3	317.4	7.8
Net: ABC1	Wales	316	7.7	182.3	4.5
Net: C2DE	England	2,583	71.6	3,032.1	82.8
Net: C2DE	Northern Ireland	215	6.0	101.5	2.8
Net: C2DE	Scotland	493	13.7	337.0	9.2
Net: C2DE	Wales	316	8.8	189.4	5.2
Other	England	147	70.7	158.9	78.5
Other	Northern Ireland	*	*	*	*
Other	Scotland	*	*	*	*
Other	Wales	*	*	*	*

Most impactful or only condition- grouped

Social_grade	Main_Condition_Grouped	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Net: ABC1	Arthritis Other/Unknown (including Gout)	735	17.9	398.6	9.8
Net: ABC1	Autoimmune Arthritis Conditions	1,334	32.4	322.6	7.9
Net: ABC1	Osteoarthritis	2,044	49.7	3,344.2	82.3
Net: C2DE	Arthritis Other/Unknown (including Gout)	749	20.8	402.3	11.0
Net: C2DE	Autoimmune Arthritis Conditions	1,030	28.6	261.8	7.2
Net: C2DE	Osteoarthritis	1,828	50.7	2,996.0	81.9
Other	Arthritis Other/Unknown (including Gout)	*	*	*	*
Other	Autoimmune Arthritis Conditions	*	*	*	*
Other	Osteoarthritis	105	50.5	169.1	83.5

Ethnicity - grouped

Social_grade	Net_Ethnic_minority	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Net: ABC1	No	3,857	93.8	3,856.0	94.8
Net: ABC1	Yes	253	6.2	207.3	5.1
Net: ABC1		*	*	*	*
Net: C2DE	No	3,434	95.2	3,522.4	96.2
Net: C2DE	Yes	169	4.7	132.1	3.6
Net: C2DE		*	*	*	*

Social_grade	Net_Ethnic_minority	n_unweighted	percent_unweighted	n_weighted	percent_weighted
Other	No	204	98.1	199.5	98.5
Other	Yes	*	*	*	*

3) Differences in experience by social grade

Lower social grades report their arthritis is less well managed

A pattern we see across conditions and age groups

Age Grouped

Social_grade	Age_Group	Is_your_condition_well_managed	n_weighted	percent_weighted
Net: ABC1	18-44	Net Agree (Somewhat/Strongly)	106.8	58.9
Net: ABC1	18-44	Net Disagree (Somewhat/Strongly)	50.8	28.0
Net: ABC1	18-44	Other	*	*
Net: ABC1	45-64	Net Agree (Somewhat/Strongly)	848.1	45.5
Net: ABC1	45-64	Net Disagree (Somewhat/Strongly)	679.5	36.5
Net: ABC1	45-64	Other	334.8	18.0
Net: ABC1	65+	Net Agree (Somewhat/Strongly)	1,072.7	53.1
Net: ABC1	65+	Net Disagree (Somewhat/Strongly)	602.3	29.8
Net: ABC1	65+	Other	346.8	17.2
Net: C2DE	18-44	Net Agree (Somewhat/Strongly)	40.8	41.9
Net: C2DE	18-44	Net Disagree (Somewhat/Strongly)	40.7	41.8
Net: C2DE	18-44	Other	*	*
Net: C2DE	45-64	Net Agree (Somewhat/Strongly)	711.6	37.1
Net: C2DE	45-64	Net Disagree (Somewhat/Strongly)	852.7	44.5

Social_grade	Age_Group	Is_your_condition_well_managed	n_weighted	percent_weighted
Net: C2DE	45-64	Other	353.6	18.4
Net: C2DE	65+	Net Agree (Somewhat/Strongly)	771.7	46.9
Net: C2DE	65+	Net Disagree (Somewhat/Strongly)	523.1	31.8
Net: C2DE	65+	Other	350.0	21.3
Other	18-44	Net Agree (Somewhat/Strongly)	*	*
Other	18-44	Net Disagree (Somewhat/Strongly)	*	*
Other	18-44	Other	*	*
Other	45-64	Net Agree (Somewhat/Strongly)	*	*
Other	45-64	Net Disagree (Somewhat/Strongly)	52.3	61.5
Other	45-64	Other	*	*
Other	65+	Net Agree (Somewhat/Strongly)	*	*
Other	65+	Net Disagree (Somewhat/Strongly)	56.3	50.4
Other	65+	Other	*	*

Most impactful or only condition - grouped

Social_grade	Main_Condition_Grouped	Is_your_condition_well_managed	n_weighted	percent_weighted
Net: ABC1	Arthritis Other/Unknown (including Gout)	Net Agree (Somewhat/Strongly)	193.8	48.6
Net: ABC1	Arthritis Other/Unknown (including Gout)	Net Disagree (Somewhat/Strongly)	129.2	32.4
Net: ABC1	Arthritis Other/Unknown (including Gout)	Other	75.6	19.0
Net: ABC1	Autoimmune Arthritis Conditions	Net Agree (Somewhat/Strongly)	199.4	61.8
Net: ABC1	Autoimmune Arthritis Conditions	Net Disagree (Somewhat/Strongly)	84.6	26.2
Net: ABC1	Autoimmune Arthritis Conditions	Other	*	*
Net: ABC1	Osteoarthritis	Net Agree (Somewhat/Strongly)	1,634.3	48.9
Net: ABC1	Osteoarthritis	Net Disagree (Somewhat/Strongly)	1,118.8	33.5
Net: ABC1	Osteoarthritis	Other	591.1	17.7
Net: C2DE	Arthritis Other/Unknown (including Gout)	Net Agree (Somewhat/Strongly)	163.0	40.5
Net: C2DE	Arthritis Other/Unknown (including Gout)	Net Disagree (Somewhat/Strongly)	150.3	37.4
Net: C2DE	Arthritis Other/Unknown (including Gout)	Other	88.9	22.1
Net: C2DE	Autoimmune Arthritis Conditions	Net Agree (Somewhat/Strongly)	110.4	42.2
Net: C2DE	Autoimmune Arthritis Conditions	Net Disagree (Somewhat/Strongly)	105.4	40.3

Social_grade	Main_Condition_Grouped	Is_your_condition_well_managed	n_weighted	percent_weighted
Net: C2DE	Autoimmune Arthritis Conditions	Other	*	*
Net: C2DE	Osteoarthritis	Net Agree (Somewhat/Strongly)	1,250.7	41.7
Net: C2DE	Osteoarthritis	Net Disagree (Somewhat/Strongly)	1,160.7	38.7
Net: C2DE	Osteoarthritis	Other	584.6	19.5
Other	Arthritis Other/Unknown (including Gout)	Net Agree (Somewhat/Strongly)	*	*
Other	Arthritis Other/Unknown (including Gout)	Net Disagree (Somewhat/Strongly)	*	*
Other	Arthritis Other/Unknown (including Gout)	Other	*	*
Other	Autoimmune Arthritis Conditions	Net Agree (Somewhat/Strongly)	*	*
Other	Autoimmune Arthritis Conditions	Net Disagree (Somewhat/Strongly)	*	*
Other	Autoimmune Arthritis Conditions	Other	*	*
Other	Osteoarthritis	Net Agree (Somewhat/Strongly)	*	*
Other	Osteoarthritis	Net Disagree (Somewhat/Strongly)	95.9	56.7
Other	Osteoarthritis	Other	*	*

Lower social grade report more severe symptoms of pain

A pattern we see across conditions and age groups

Age grouped

Social_grade	Age_Group	How_often_experienced_pain_in_last_year	n_weighted	percent_weighted
Net: ABC1	18-44	All/Most of the time	101.6	56.0
Net: ABC1	18-44	Other	*	*
Net: ABC1	18-44	Some of the time/Never	78.9	43.5
Net: ABC1	45-64	All/Most of the time	1,098.7	59.0
Net: ABC1	45-64	Other	*	*
Net: ABC1	45-64	Some of the time/Never	763.3	41.0
Net: ABC1	65+	All/Most of the time	1,001.1	49.5
Net: ABC1	65+	Other	*	*
Net: ABC1	65+	Some of the time/Never	1,018.3	50.4
Net: C2DE	18-44	All/Most of the time	65.2	67.0
Net: C2DE	18-44	Other	*	*
Net: C2DE	18-44	Some of the time/Never	*	*
Net: C2DE	45-64	All/Most of the time	1,371.9	71.5
Net: C2DE	45-64	Other	*	*
Net: C2DE	45-64	Some of the time/Never	545.0	28.4
Net: C2DE	65+	All/Most of the time	979.4	59.5

Social_grade	Age_Group	How_often_experienced_pain_in_last_year	n_weighted	percent_weighted
Net: C2DE	65+	Other	*	*
Net: C2DE	65+	Some of the time/Never	663.0	40.3
Other	18-44	All/Most of the time	*	*
Other	18-44	Some of the time/Never	*	*
Other	45-64	All/Most of the time	67.5	79.3
Other	45-64	Some of the time/Never	*	*
Other	65+	All/Most of the time	85.7	76.8
Other	65+	Some of the time/Never	*	*

Most impactful or only condition - grouped

Social_grade	Main_Condition_Grouped	How_often_experienced_pain_in_last_year	n_weighted	percent_weighted
Net: ABC1	Arthritis Other/Unknown (including Gout)	All/Most of the time	172.0	43.2
Net: ABC1	Arthritis Other/Unknown (including Gout)	Other	*	*
Net: ABC1	Arthritis Other/Unknown (including Gout)	Some of the time/Never	225.3	56.5
Net: ABC1	Autoimmune Arthritis Conditions	All/Most of the time	186.1	57.7
Net: ABC1	Autoimmune Arthritis Conditions	Other	*	*
Net: ABC1	Autoimmune Arthritis Conditions	Some of the time/Never	135.7	42.1
Net: ABC1	Osteoarthritis	All/Most of the time	1,843.3	55.1
Net: ABC1	Osteoarthritis	Other	*	*
Net: ABC1	Osteoarthritis	Some of the time/Never	1,499.5	44.8
Net: C2DE	Arthritis Other/Unknown (including Gout)	All/Most of the time	228.4	56.8
Net: C2DE	Arthritis Other/Unknown (including Gout)	Other	*	*
Net: C2DE	Arthritis Other/Unknown (including Gout)	Some of the time/Never	173.2	43.0
Net: C2DE	Autoimmune Arthritis Conditions	All/Most of the time	192.7	73.6
Net: C2DE	Autoimmune Arthritis Conditions	Other	*	*

Social_grade	Main_Condition_Grouped	How_often_experienced_pain_in_last_year	n_weighted	percent_weighted
Net: C2DE	Autoimmune Arthritis Conditions	Some of the time/Never	68.3	26.1
Net: C2DE	Osteoarthritis	All/Most of the time	1,995.4	66.6
Net: C2DE	Osteoarthritis	Other	*	*
Net: C2DE	Osteoarthritis	Some of the time/Never	998.1	33.3
Other	Arthritis Other/Unknown (including Gout)	All/Most of the time	*	*
Other	Arthritis Other/Unknown (including Gout)	Some of the time/Never	*	*
Other	Autoimmune Arthritis Conditions	All/Most of the time	*	*
Other	Autoimmune Arthritis Conditions	Some of the time/Never	*	*
Other	Osteoarthritis	All/Most of the time	136.0	80.5
Other	Osteoarthritis	Some of the time/Never	*	*

4) Self-management techniques

Individuals from lower social grades rated most self-management techniques as less useful than those from higher social grades

1. Attempt to/focus on maintaining a healthy body weight

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	602	27.6
Net: ABC1	Net: Very useful/Somewhat useful	1580	72.4
Net: C2DE	Net: Not useful at all/not very useful	593	32.2
Net: C2DE	Net: Very useful/Somewhat useful	1246	67.8

2. Do exercise or physical activity

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	427	18.9
Net: ABC1	Net: Very useful/Somewhat useful	1834	81.1
Net: C2DE	Net: Not useful at all/not very useful	393	25.1
Net: C2DE	Net: Very useful/Somewhat useful	1172	74.9

3. Focus on managing wellbeing such as relaxation techniques (eg mediation/mindfulness)

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	276	29.2
Net: ABC1	Net: Very useful/Somewhat useful	670	70.8
Net: C2DE	Net: Not useful at all/not very useful	224	29.6
Net: C2DE	Net: Very useful/Somewhat useful	534	70.4

4. Diet - changing consumption of specific foods (e.g. taking supplements or reducing certain intake)

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	626	37.0
Net: ABC1	Net: Very useful/Somewhat useful	1064	63.0
Net: C2DE	Net: Not useful at all/not very useful	574	38.5
Net: C2DE	Net: Very useful/Somewhat useful	916	61.5

5. Lifestyle changes (e.g. reduced smoking and/or alcohol consumption)

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	268	36.6
Net: ABC1	Net: Very useful/Somewhat useful	464	63.4
Net: C2DE	Net: Not useful at all/not very useful	327	43.0
Net: C2DE	Net: Very useful/Somewhat useful	434	57.0

6. Exercise or moving of affected joints

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	681	23.2
Net: ABC1	Net: Very useful/Somewhat useful	2252	76.8
Net: C2DE	Net: Not useful at all/not very useful	800	33.7
Net: C2DE	Net: Very useful/Somewhat useful	1577	66.3

7. Other

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	50	12.5
Net: ABC1	Net: Very useful/Somewhat useful	347	87.5
Net: C2DE	Net: Not useful at all/not very useful	*	*
Net: C2DE	Net: Very useful/Somewhat useful	213	82.9

This pattern is broadly true for only those with the worst symptoms

Those who reported as having pain, fatigue, stiffness or feeling low/anxious in the last 12 months (all or most of the time)
N=5925.5

1. Attempt to/focus on maintaining a healthy body weight

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	536.8	31.6
Net: ABC1	Net: Very useful/Somewhat useful	1081.4	74.2
Net: C2DE	Net: Not useful at all/not very useful	545.7	37.4
Net: C2DE	Net: Very useful/Somewhat useful	969.6	66.5

2. Do exercise or physical activity

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	386.0	25.1
Net: ABC1	Net: Very useful/Somewhat useful	1148.9	74.9
Net: C2DE	Net: Not useful at all/not very useful	360.7	31.3
Net: C2DE	Net: Very useful/Somewhat useful	790.9	68.7

3. Focus on managing wellbeing such as relaxation techniques (eg mediation/mindfulness)

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	247.6	32.6
Net: ABC1	Net: Very useful/Somewhat useful	511.0	67.4
Net: C2DE	Net: Not useful at all/not very useful	216.2	32.6
Net: C2DE	Net: Very useful/Somewhat useful	447.7	67.4

4. Diet - changing consumption of specific foods (e.g. taking supplements or reducing certain intake)

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	549.6	41.2
Net: ABC1	Net: Very useful/Somewhat useful	784.9	58.8
Net: C2DE	Net: Not useful at all/not very useful	544.6	42.7
Net: C2DE	Net: Very useful/Somewhat useful	731.8	57.3

5. Lifestyle changes (e.g. reduced smoking and/or alcohol consumption)

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	247.1	40.6
Net: ABC1	Net: Very useful/Somewhat useful	362.0	59.4
Net: C2DE	Net: Not useful at all/not very useful	312.0	46.0
Net: C2DE	Net: Very useful/Somewhat useful	366.3	54.0

6. Exercise or moving of affected joints

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	609.0	29.2
Net: ABC1	Net: Very useful/Somewhat useful	1474.7	70.8
Net: C2DE	Net: Not useful at all/not very useful	734.4	38.9
Net: C2DE	Net: Very useful/Somewhat useful	1155.1	61.1

7. Other

Social Grade	Usefulness	n_weighted	percent_weighted
Net: ABC1	Net: Not useful at all/not very useful	*	*
Net: ABC1	Net: Very useful/Somewhat useful	252.6	85.1
Net: C2DE	Net: Not useful at all/not very useful	*	*
Net: C2DE	Net: Very useful/Somewhat useful	162.4	80.8

6) Timely diagnosis

Younger respondents report greater challenges in getting a timely diagnosis. This pattern is found regardless of type of arthritis.

Age_Group	Main_Condition_Grouped	The process of getting a diagnosis took too long	n_weighted	percent_weighted
18-44	Arthritis Other/Unknown (including Gout)	Other	*	*
18-44	Arthritis Other/Unknown (including Gout)	Strongly/Somewhat Agree	29.5	12.9
18-44	Arthritis Other/Unknown (including Gout)	Strongly/Somewhat Disagree	*	*
18-44	Autoimmune Arthritis Conditions	Other	29.1	12.7
18-44	Autoimmune Arthritis Conditions	Strongly/Somewhat Agree	100.7	59.2
18-44	Autoimmune Arthritis Conditions	Strongly/Somewhat Disagree	40.4	17.7
45-64	Arthritis Other/Unknown (including Gout)	Other	38.3	1.2
45-64	Arthritis Other/Unknown (including Gout)	Strongly/Somewhat Agree	66.3	43.8
45-64	Arthritis Other/Unknown (including Gout)	Strongly/Somewhat Disagree	*	*

Age_Group	Main_Condition_Grouped	The process of getting a diagnosis took too long	n_weighted	percent_weighted
45-64	Autoimmune Arthritis Conditions	Other	56.9	19.1
45-64	Autoimmune Arthritis Conditions	Strongly/Somewhat Agree	147.0	49.3
45-64	Autoimmune Arthritis Conditions	Strongly/Somewhat Disagree	94.1	31.6
45-64	Osteoarthritis	Other	610.0	21.4
45-64	Osteoarthritis	Strongly/Somewhat Agree	1,224.7	42.9
45-64	Osteoarthritis	Strongly/Somewhat Disagree	1,016.8	35.7
65+	Arthritis Other/Unknown (including Gout)	Other	44.7	1.4
65+	Arthritis Other/Unknown (including Gout)	Strongly/Somewhat Agree	55.1	28.8
65+	Arthritis Other/Unknown (including Gout)	Strongly/Somewhat Disagree	91.6	47.9
65+	Autoimmune Arthritis Conditions	Other	*	*
65+	Autoimmune Arthritis Conditions	Strongly/Somewhat Agree	*	*
65+	Autoimmune Arthritis Conditions	Strongly/Somewhat Disagree	*	*
65+	Osteoarthritis	Other	764.1	26.8

Age_Group	Main_Condition_Grouped	The process of getting a diagnosis took too long	n_weighted	percent_weighted
65+	Osteoarthritis	Strongly/Somewhat Agree	812.6	28.5
65+	Osteoarthritis	Strongly/Somewhat Disagree	1,272.9	44.7

7) Unreasonable waits or delays for relevant specialist appointments and test/test results

Lower age groups were more likely to report unreasonable waits or delays (for relevant specialist appointments and test/test results). The age patterns were consistent even within condition types

Unreasonable waits/delays for relevant specialist appointments

Main_Condition_Grouped	Age_Group	Unreasonable waits/delays for relevant specialist appointments	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	18-44	A great deal/Somewhat	48.4	52.7
Arthritis Other/Unknown (including Gout)	18-44	Not very much/Not at all	26.2	28.5
Arthritis Other/Unknown (including Gout)	18-44	Other	*	*
Arthritis Other/Unknown (including Gout)	45-64	A great deal/Somewhat	135.9	43.5
Arthritis Other/Unknown (including Gout)	45-64	Not very much/Not at all	99.9	31.9
Arthritis Other/Unknown (including Gout)	45-64	Other	76.9	24.6
Arthritis Other/Unknown (including Gout)	65+	A great deal/Somewhat	130.3	31.3
Arthritis Other/Unknown (including Gout)	65+	Not very much/Not at all	167.4	40.2

Main_Condition_Grouped	Age_Group	Unreasonable waits/delays for relevant specialist appointments	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	65+	Other	118.7	28.5
Autoimmune Arthritis Conditions	18-44	A great deal/Somewhat	119.0	61.8
Autoimmune Arthritis Conditions	18-44	Not very much/Not at all	57.9	30.1
Autoimmune Arthritis Conditions	18-44	Other	*	*
Autoimmune Arthritis Conditions	45-64	A great deal/Somewhat	176.8	53.2
Autoimmune Arthritis Conditions	45-64	Not very much/Not at all	130.7	39.3
Autoimmune Arthritis Conditions	45-64	Other	*	*
Autoimmune Arthritis Conditions	65+	A great deal/Somewhat	34.2	47.0
Autoimmune Arthritis Conditions	65+	Not very much/Not at all	30.1	41.3
Autoimmune Arthritis Conditions	65+	Other	*	*
Osteoarthritis	45-64	A great deal/Somewhat	1,686.8	52.4
Osteoarthritis	45-64	Not very much/Not at all	1,081.9	33.6
Osteoarthritis	45-64	Other	451.7	14.0
Osteoarthritis	65+	A great deal/Somewhat	1,269.7	38.6
Osteoarthritis	65+	Not very much/Not at all	1,447.8	44.0
Osteoarthritis	65+	Other	571.4	17.4

Unreasonable waits or delays in accessing tests or test results

Main_Condition_Grouped	Age_Group	Unreasonable waits or delays in accessing tests or test results	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	18-44	A great deal/Somewhat	45.4	49.5
Arthritis Other/Unknown (including Gout)	18-44	Not very much/Not at all	29.2	31.8
Arthritis Other/Unknown (including Gout)	18-44	Other	*	*
Arthritis Other/Unknown (including Gout)	45-64	A great deal/Somewhat	118.9	38.0
Arthritis Other/Unknown (including Gout)	45-64	Not very much/Not at all	120.9	38.7
Arthritis Other/Unknown (including Gout)	45-64	Other	72.8	23.3
Arthritis Other/Unknown (including Gout)	65+	A great deal/Somewhat	108.2	26.0
Arthritis Other/Unknown (including Gout)	65+	Not very much/Not at all	199.8	48.0
Arthritis Other/Unknown (including Gout)	65+	Other	108.5	26.1
Autoimmune Arthritis Conditions	18-44	A great deal/Somewhat	96.0	49.8
Autoimmune Arthritis Conditions	18-44	Not very much/Not at all	81.1	42.1
Autoimmune Arthritis Conditions	18-44	Other	*	*

Main_Condition_Grouped	Age_Group	Unreasonable waits or delays in accessing tests or test results	n_weighted	percent_weighted
Autoimmune Arthritis Conditions	45-64	A great deal/Somewhat	146.1	44.0
Autoimmune Arthritis Conditions	45-64	Not very much/Not at all	162.0	48.7
Autoimmune Arthritis Conditions	45-64	Other	*	*
Autoimmune Arthritis Conditions	65+	A great deal/Somewhat	27.8	38.2
Autoimmune Arthritis Conditions	65+	Not very much/Not at all	35.2	48.4
Autoimmune Arthritis Conditions	65+	Other	*	*
Osteoarthritis	45-64	A great deal/Somewhat	1,407.0	43.7
Osteoarthritis	45-64	Not very much/Not at all	1,422.2	44.2
Osteoarthritis	45-64	Other	391.1	12.1
Osteoarthritis	65+	A great deal/Somewhat	1,042.7	31.7
Osteoarthritis	65+	Not very much/Not at all	1,708.0	51.9
Osteoarthritis	65+	Other	538.2	16.4

8) Symptoms underplayed

Younger adults were more likely to report that their symptoms were underplayed or not taken seriously, and this perception decreased with increased age. This pattern persisted even when looking within condition groupings.

Symptoms underplayed or not taken seriously

Main_Condition_Grouped	Age_Group	Symptoms underplayed or not taken seriously by healthcare professionals	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	18-44	A great deal/Somewhat	50.7	55.2
Arthritis Other/Unknown (including Gout)	18-44	Not very much/Not at all	28.2	30.7
Arthritis Other/Unknown (including Gout)	18-44	Other	*	*
Arthritis Other/Unknown (including Gout)	45-64	A great deal/Somewhat	148.7	47.6
Arthritis Other/Unknown (including Gout)	45-64	Not very much/Not at all	111.7	35.7
Arthritis Other/Unknown (including Gout)	45-64	Other	52.3	16.7
Arthritis Other/Unknown (including Gout)	65+	A great deal/Somewhat	122.0	29.3
Arthritis Other/Unknown (including Gout)	65+	Not very much/Not at all	201.9	48.5
Arthritis Other/Unknown (including Gout)	65+	Other	92.7	22.3

Main_Condition_Grouped	Age_Group	Symptoms underplayed or not taken seriously by healthcare professionals	n_weighted	percent_weighted
Autoimmune Arthritis Conditions	18-44	A great deal/Somewhat	110.5	57.4
Autoimmune Arthritis Conditions	18-44	Not very much/Not at all	65.4	34.0
Autoimmune Arthritis Conditions	18-44	Other	*	*
Autoimmune Arthritis Conditions	45-64	A great deal/Somewhat	169.7	51.1
Autoimmune Arthritis Conditions	45-64	Not very much/Not at all	143.0	43.0
Autoimmune Arthritis Conditions	45-64	Other	*	*
Autoimmune Arthritis Conditions	65+	A great deal/Somewhat	27.6	37.9
Autoimmune Arthritis Conditions	65+	Not very much/Not at all	36.3	49.9
Autoimmune Arthritis Conditions	65+	Other	*	*
Osteoarthritis	45-64	A great deal/Somewhat	1,593.2	49.5
Osteoarthritis	45-64	Not very much/Not at all	1,352.9	42.0
Osteoarthritis	45-64	Other	274.1	8.5
Osteoarthritis	65+	A great deal/Somewhat	1,105.1	33.6
Osteoarthritis	65+	Not very much/Not at all	1,738.6	52.9
Osteoarthritis	65+	Other	445.3	13.5

9) Communication with healthcare professionals

For all aspects of communication with healthcare professionals, females report worse outcomes. This remains true when looking within each condition grouping.

The range of treatment options was communicated to me clearly (including non-medical options if appropriate)

Main_Condition_Grouped	Sex	The range of treatment options was communicated to me clearly	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Female	Agree (Strongly/Somewhat)	104.4	23.4
Arthritis Other/Unknown (including Gout)	Female	Disagree (Strongly/Somewhat)	166.4	37.3
Arthritis Other/Unknown (including Gout)	Female	Other	175.8	39.4
Arthritis Other/Unknown (including Gout)	Male	Agree (Strongly/Somewhat)	125.4	33.5
Arthritis Other/Unknown (including Gout)	Male	Disagree (Strongly/Somewhat)	104.1	27.8
Arthritis Other/Unknown (including Gout)	Male	Other	144.9	38.7
Autoimmune Arthritis Conditions	Female	Agree (Strongly/Somewhat)	143.3	42.6
Autoimmune Arthritis Conditions	Female	Disagree (Strongly/Somewhat)	123.7	36.8
Autoimmune Arthritis Conditions	Female	Other	69.1	20.6
Autoimmune Arthritis Conditions	Male	Agree (Strongly/Somewhat)	123.2	47.1
Autoimmune Arthritis Conditions	Male	Disagree (Strongly/Somewhat)	74.8	28.6

Main_Condition_Grouped	Sex	The range of treatment options was communicated to me clearly	n_weighted	percent_weighted
Autoimmune Arthritis Conditions	Male	Other	63.8	24.4
Osteoarthritis	Female	Agree (Strongly/Somewhat)	1,282.7	33.2
Osteoarthritis	Female	Disagree (Strongly/Somewhat)	1,419.7	36.8
Osteoarthritis	Female	Other	1,159.9	30.0
Osteoarthritis	Male	Agree (Strongly/Somewhat)	1,156.5	43.7
Osteoarthritis	Male	Disagree (Strongly/Somewhat)	736.9	27.8
Osteoarthritis	Male	Other	753.4	28.5

The risks and benefits of any treatments was clearly communicated to me

Main_Condition_Grouped	Sex	The risks and benefits of any treatments was clearly communicated	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Female	Agree (Strongly/Somewhat)	122.8	27.5
Arthritis Other/Unknown (including Gout)	Female	Disagree (Strongly/Somewhat)	124.0	27.8
Arthritis Other/Unknown (including Gout)	Female	Other	199.7	44.7
Arthritis Other/Unknown (including Gout)	Male	Agree (Strongly/Somewhat)	128.9	34.4

Main_Condition_Grouped	Sex	The risks and benefits of any treatments was clearly communicated	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Male	Disagree (Strongly/Somewhat)	91.1	24.3
Arthritis Other/Unknown (including Gout)	Male	Other	154.4	41.2
Autoimmune Arthritis Conditions	Female	Agree (Strongly/Somewhat)	184.6	54.9
Autoimmune Arthritis Conditions	Female	Disagree (Strongly/Somewhat)	81.5	24.3
Autoimmune Arthritis Conditions	Female	Other	69.9	20.8
Autoimmune Arthritis Conditions	Male	Agree (Strongly/Somewhat)	153.7	58.7
Autoimmune Arthritis Conditions	Male	Disagree (Strongly/Somewhat)	54.7	20.9
Autoimmune Arthritis Conditions	Male	Other	53.4	20.4
Osteoarthritis	Female	Agree (Strongly/Somewhat)	1,572.8	40.7
Osteoarthritis	Female	Disagree (Strongly/Somewhat)	993.9	25.7
Osteoarthritis	Female	Other	1,295.7	33.5
Osteoarthritis	Male	Agree (Strongly/Somewhat)	1,284.1	48.5
Osteoarthritis	Male	Disagree (Strongly/Somewhat)	551.5	20.8
Osteoarthritis	Male	Other	811.2	30.6

Communication about any waiting times for treatment was clear

Main_Condition_Grouped	Sex	Communication about any waiting times for treatment was clear	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Female	Agree (Strongly/Somewhat)	96.8	21.7
Arthritis Other/Unknown (including Gout)	Female	Disagree (Strongly/Somewhat)	130.0	29.1
Arthritis Other/Unknown (including Gout)	Female	Other	219.7	49.2
Arthritis Other/Unknown (including Gout)	Male	Agree (Strongly/Somewhat)	93.7	25.0
Arthritis Other/Unknown (including Gout)	Male	Disagree (Strongly/Somewhat)	100.8	26.9
Arthritis Other/Unknown (including Gout)	Male	Other	180.0	48.1
Autoimmune Arthritis Conditions	Female	Agree (Strongly/Somewhat)	108.3	32.2
Autoimmune Arthritis Conditions	Female	Disagree (Strongly/Somewhat)	116.0	34.5
Autoimmune Arthritis Conditions	Female	Other	111.7	33.2
Autoimmune Arthritis Conditions	Male	Agree (Strongly/Somewhat)	104.0	39.7
Autoimmune Arthritis Conditions	Male	Disagree (Strongly/Somewhat)	83.7	32.0
Autoimmune Arthritis Conditions	Male	Other	74.1	28.3
Osteoarthritis	Female	Agree (Strongly/Somewhat)	1,208.5	31.3
Osteoarthritis	Female	Disagree (Strongly/Somewhat)	1,217.7	31.5

Main_Condition_Grouped	Sex	Communication about any waiting times for treatment was clear	n_weighted	percent_weighted
Osteoarthritis	Female	Other	1,436.2	37.2
Osteoarthritis	Male	Agree (Strongly/Somewhat)	957.1	36.2
Osteoarthritis	Male	Disagree (Strongly/Somewhat)	744.1	28.1
Osteoarthritis	Male	Other	945.7	35.7

The healthcare professionals involved in my treatment and management communicate and coordinate with each other

Main_Condition_Grouped	Sex	The healthcare professionals involved in my treatment and management communicate and coordinate with each other	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Female	Agree (Strongly/Somewhat)	68.6	15.4
Arthritis Other/Unknown (including Gout)	Female	Disagree (Strongly/Somewhat)	149.3	33.4
Arthritis Other/Unknown (including Gout)	Female	Other	228.7	51.2
Arthritis Other/Unknown (including Gout)	Male	Agree (Strongly/Somewhat)	84.8	22.6
Arthritis Other/Unknown (including Gout)	Male	Disagree (Strongly/Somewhat)	99.2	26.5
Arthritis Other/Unknown (including Gout)	Male	Other	190.5	50.9
Autoimmune Arthritis Conditions	Female	Agree (Strongly/Somewhat)	126.5	37.6

Main_Condition_Grouped	Sex	The healthcare professionals involved in my treatment and management communicate and coordinate with each other	n_weighted	percent_weighted
Autoimmune Arthritis Conditions	Female	Disagree (Strongly/Somewhat)	120.4	35.8
Autoimmune Arthritis Conditions	Female	Other	89.1	26.5
Autoimmune Arthritis Conditions	Male	Agree (Strongly/Somewhat)	119.8	45.8
Autoimmune Arthritis Conditions	Male	Disagree (Strongly/Somewhat)	78.2	29.9
Autoimmune Arthritis Conditions	Male	Other	63.7	24.3
Osteoarthritis	Female	Agree (Strongly/Somewhat)	819.1	21.2
Osteoarthritis	Female	Disagree (Strongly/Somewhat)	1,318.9	34.1
Osteoarthritis	Female	Other	1,724.4	44.6
Osteoarthritis	Male	Agree (Strongly/Somewhat)	842.5	31.8
Osteoarthritis	Male	Disagree (Strongly/Somewhat)	709.7	26.8
Osteoarthritis	Male	Other	1,094.7	41.4

I was given an opportunity to talk about my individual needs and preferences

Main_Condition_Grouped	Sex	I was given an opportunity to talk about my individual needs and preferences	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Female	Agree (Strongly/Somewhat)	100.6	22.5
Arthritis Other/Unknown (including Gout)	Female	Disagree (Strongly/Somewhat)	178.8	40.0

Main_Condition_Grouped	Sex	I was given an opportunity to talk about my individual needs and preferences	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Female	Other	167.2	37.4
Arthritis Other/Unknown (including Gout)	Male	Agree (Strongly/Somewhat)	116.3	31.1
Arthritis Other/Unknown (including Gout)	Male	Disagree (Strongly/Somewhat)	112.7	30.1
Arthritis Other/Unknown (including Gout)	Male	Other	145.4	38.8
Autoimmune Arthritis Conditions	Female	Agree (Strongly/Somewhat)	151.4	45.1
Autoimmune Arthritis Conditions	Female	Disagree (Strongly/Somewhat)	111.0	33.0
Autoimmune Arthritis Conditions	Female	Other	73.6	21.9
Autoimmune Arthritis Conditions	Male	Agree (Strongly/Somewhat)	122.7	46.9
Autoimmune Arthritis Conditions	Male	Disagree (Strongly/Somewhat)	78.5	30.0
Autoimmune Arthritis Conditions	Male	Other	60.5	23.1
Osteoarthritis	Female	Agree (Strongly/Somewhat)	1,112.0	28.8
Osteoarthritis	Female	Disagree (Strongly/Somewhat)	1,545.5	40.0
Osteoarthritis	Female	Other	1,204.9	31.2
Osteoarthritis	Male	Agree (Strongly/Somewhat)	1,044.1	39.4
Osteoarthritis	Male	Disagree (Strongly/Somewhat)	863.1	32.6
Osteoarthritis	Male	Other	739.7	27.9

I can have reviews to discuss the status of my condition and treatment as often I need

Main_Condition_Grouped	Sex	I can have reviews to discuss the status of my condition and treatment as often I need	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Female	Agree (Strongly/Somewhat)	62.1	13.9
Arthritis Other/Unknown (including Gout)	Female	Disagree (Strongly/Somewhat)	192.2	43.0
Arthritis Other/Unknown (including Gout)	Female	Other	192.3	43.1
Arthritis Other/Unknown (including Gout)	Male	Agree (Strongly/Somewhat)	76.7	20.5
Arthritis Other/Unknown (including Gout)	Male	Disagree (Strongly/Somewhat)	141.2	37.7
Arthritis Other/Unknown (including Gout)	Male	Other	156.5	41.8
Autoimmune Arthritis Conditions	Female	Agree (Strongly/Somewhat)	101.5	30.2
Autoimmune Arthritis Conditions	Female	Disagree (Strongly/Somewhat)	162.0	48.2
Autoimmune Arthritis Conditions	Female	Other	72.5	21.6
Autoimmune Arthritis Conditions	Male	Agree (Strongly/Somewhat)	90.4	34.5
Autoimmune Arthritis Conditions	Male	Disagree (Strongly/Somewhat)	105.9	40.5
Autoimmune Arthritis Conditions	Male	Other	65.5	25.0
Osteoarthritis	Female	Agree (Strongly/Somewhat)	612.7	15.9
Osteoarthritis	Female	Disagree (Strongly/Somewhat)	1,955.3	50.6

Main_Condition_Grouped	Sex	I can have reviews to discuss the status of my condition and treatment as often I need	n_weighted	percent_weighted
Osteoarthritis	Female	Other	1,294.4	33.5
Osteoarthritis	Male	Agree (Strongly/Somewhat)	550.2	20.8
Osteoarthritis	Male	Disagree (Strongly/Somewhat)	1,116.3	42.2
Osteoarthritis	Male	Other	980.4	37.0

10) Treatment usefulness

People from lower social grades reported that treatment was less helpful overall

Thinking about any treatments you have ever received for your arthritis condition(s), has the treatment(s) helped with the following?

Pain

Social_grade	Has_treatment_helped_with_pain	n_weighted	percent_weighted
Net: ABC1	A great deal/somewhat	2,339.0	57.5
Net: ABC1	Not very much/not at all	1,465.2	36.0
Net: ABC1	Other	261.2	6.4
Net: C2DE	A great deal/somewhat	1,876.2	51.3
Net: C2DE	Not very much/not at all	1,534.3	41.9
Net: C2DE	Other	249.5	6.8
Other	A great deal/somewhat	96.5	47.6
Other	Not very much/not at all	99.5	49.1
Other	Other	*	*

Fatigue (extreme tiredness not improved by rest / a lack of energy)

Social_grade	Has_treatment_helped_with_fatigue	n_weighted	percent_weighted
Net: ABC1	A great deal/somewhat	917.3	22.6
Net: ABC1	Not very much/not at all	2,111.5	51.9
Net: ABC1	Other	1,036.7	25.5
Net: C2DE	A great deal/somewhat	890.6	24.3
Net: C2DE	Not very much/not at all	2,080.9	56.9
Net: C2DE	Other	688.5	18.8
Other	A great deal/somewhat	54.4	26.9
Other	Not very much/not at all	121.1	59.8
Other	Other	*	*

Stiffness or reduced range of motion

Social_grade	Has_treatment_helped_with_stiffness	n_weighted	percent_weighted
Net: ABC1	A great deal/somewhat	2,067.9	50.9
Net: ABC1	Not very much/not at all	1,700.7	41.8
Net: ABC1	Other	296.8	7.3
Net: C2DE	A great deal/somewhat	1,653.2	45.2
Net: C2DE	Not very much/not at all	1,706.6	46.6
Net: C2DE	Other	300.2	8.2
Other	A great deal/somewhat	102.5	50.6
Other	Not very much/not at all	91.7	45.3
Other	Other	*	*

Helping you live the life you want to lead

Social_grade	Has_treatment_helped_with_living_life_you_want_to_lead	n_weighted	percent_weighted
Net: ABC1	A great deal/somewhat	1,794.6	44.1
Net: ABC1	Not very much/not at all	1,756.8	43.2
Net: ABC1	Other	514.0	12.6
Net: C2DE	A great deal/somewhat	1,332.2	36.4
Net: C2DE	Not very much/not at all	1,903.3	52.0
Net: C2DE	Other	424.5	11.6
Other	A great deal/somewhat	66.5	32.8
Other	Not very much/not at all	120.9	59.7
Other	Other	*	*

11) Fatigue

Across all forms of arthritis, fatigue emerged as the most poorly addressed symptom by treatment. This issue was consistently reported as the biggest unmet need across all condition types, social grades, age and gender.

Most impactful or only condition- grouped

Thinking about any treatments you have ever received for your arthritis condition(s), has the treatment(s) helped with the following?

Main_Condition_Grouped	Has_treatment_helped_with_pain	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	A great deal/somewhat	424.9	51.8
Arthritis Other/Unknown (including Gout)	Not very much/not at all	316.7	38.6
Arthritis Other/Unknown (including Gout)	Other	79.4	9.7
Autoimmune Arthritis Conditions	A great deal/somewhat	375.0	62.7
Autoimmune Arthritis Conditions	Not very much/not at all	201.6	33.7
Autoimmune Arthritis Conditions	Other	*	*
Osteoarthritis	A great deal/somewhat	3,511.8	54.0
Osteoarthritis	Not very much/not at all	2,580.8	39.6
Osteoarthritis	Other	416.7	6.4

Main_Condition_Grouped	Has_treatment_helped_with_fatigue	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	A great deal/somewhat	181.4	22.1
Arthritis Other/Unknown (including Gout)	Not very much/not at all	428.3	52.2
Arthritis Other/Unknown (including Gout)	Other	211.2	25.7
Autoimmune Arthritis Conditions	A great deal/somewhat	188.6	31.5
Autoimmune Arthritis Conditions	Not very much/not at all	355.7	59.5
Autoimmune Arthritis Conditions	Other	53.5	8.9
Osteoarthritis	A great deal/somewhat	1,492.2	22.9
Osteoarthritis	Not very much/not at all	3,529.5	54.2
Osteoarthritis	Other	1,487.6	22.9

Main_Condition_Grouped	Has_treatment_helped_with_stiffness	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	A great deal/somewhat	381.0	46.4
Arthritis Other/Unknown (including Gout)	Not very much/not at all	342.8	41.8
Arthritis Other/Unknown (including Gout)	Other	97.1	11.8
Autoimmune Arthritis Conditions	A great deal/somewhat	352.8	59.0
Autoimmune Arthritis Conditions	Not very much/not at all	222.4	37.2
Autoimmune Arthritis Conditions	Other	*	*
Osteoarthritis	A great deal/somewhat	3,089.7	47.5
Osteoarthritis	Not very much/not at all	2,933.7	45.1
Osteoarthritis	Other	485.8	7.5

Main_Condition_Grouped	Has_treatment_helped_with_living_life_you_want_to_lead	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	A great deal/somewhat	303.1	36.9
Arthritis Other/Unknown (including Gout)	Not very much/not at all	372.1	45.3
Arthritis Other/Unknown (including Gout)	Other	145.7	17.7
Autoimmune Arthritis Conditions	A great deal/somewhat	303.7	50.8
Autoimmune Arthritis Conditions	Not very much/not at all	253.4	42.4
Autoimmune Arthritis Conditions	Other	*	*
Osteoarthritis	A great deal/somewhat	2,586.5	39.7
Osteoarthritis	Not very much/not at all	3,155.5	48.5
Osteoarthritis	Other	767.3	11.8

Social grades

Thinking about any treatments you have ever received for your arthritis condition(s), has the treatment(s) helped with the following?

Social_grade	Has_treatment_helped_with_pain	n_weighted	percent_weighted
Net: ABC1	A great deal/somewhat	2,339.0	57.5
Net: ABC1	Not very much/not at all	1,465.2	36.0
Net: ABC1	Other	261.2	6.4
Net: C2DE	A great deal/somewhat	1,876.2	51.3
Net: C2DE	Not very much/not at all	1,534.3	41.9
Net: C2DE	Other	249.5	6.8
Other	A great deal/somewhat	96.5	47.6
Other	Not very much/not at all	99.5	49.1
Other	Other	*	*

Social_grade	Has_treatment_helped_with_fatigue	n_weighted	percent_weighted
Net: ABC1	A great deal/somewhat	917.3	22.6
Net: ABC1	Not very much/not at all	2,111.5	51.9
Net: ABC1	Other	1,036.7	25.5
Net: C2DE	A great deal/somewhat	890.6	24.3
Net: C2DE	Not very much/not at all	2,080.9	56.9
Net: C2DE	Other	688.5	18.8
Other	A great deal/somewhat	54.4	26.9
Other	Not very much/not at all	121.1	59.8
Other	Other	*	*

Social_grade	Has_treatment_helped_with_stiffness	n_weighted	percent_weighted
Net: ABC1	A great deal/somewhat	2,067.9	50.9
Net: ABC1	Not very much/not at all	1,700.7	41.8
Net: ABC1	Other	296.8	7.3
Net: C2DE	A great deal/somewhat	1,653.2	45.2
Net: C2DE	Not very much/not at all	1,706.6	46.6
Net: C2DE	Other	300.2	8.2
Other	A great deal/somewhat	102.5	50.6
Other	Not very much/not at all	91.7	45.3
Other	Other	*	*

Social_grade	Has_treatment_helped_with_living_life_you_want_to_lead	n_weighted	percent_weighted
Net: ABC1	A great deal/somewhat	1,794.6	44.1
Net: ABC1	Not very much/not at all	1,756.8	43.2
Net: ABC1	Other	514.0	12.6
Net: C2DE	A great deal/somewhat	1,332.2	36.4
Net: C2DE	Not very much/not at all	1,903.3	52.0
Net: C2DE	Other	424.5	11.6
Other	A great deal/somewhat	66.5	32.8
Other	Not very much/not at all	120.9	59.7
Other	Other	*	*

Age Group

Thinking about any treatments you have ever received for your arthritis condition(s), has the treatment(s) helped with the following?

Age_Group	Has_treatment_helped_with_pain	n_weighted	percent_weighted
18-44	A great deal/somewhat	187.6	66.0
18-44	Not very much/not at all	85.3	30.0
18-44	Other	*	*
45-64	A great deal/somewhat	2,010.0	52.0
45-64	Not very much/not at all	1,614.6	41.8
45-64	Other	240.8	6.2
65+	A great deal/somewhat	2,114.2	56.0
65+	Not very much/not at all	1,399.1	37.0
65+	Other	265.0	7.0

Age_Group	Has_treatment_helped_with_fatigue	n_weighted	percent_weighted
18-44	A great deal/somewhat	94.4	33.2
18-44	Not very much/not at all	158.8	55.8
18-44	Other	*	*
45-64	A great deal/somewhat	857.4	22.2
45-64	Not very much/not at all	2,251.2	58.2
45-64	Other	756.7	19.6
65+	A great deal/somewhat	910.5	24.1
65+	Not very much/not at all	1,903.5	50.4
65+	Other	964.4	25.5

Age_Group	Has_treatment_helped_with_stiffness	n_weighted	percent_weighted
18-44	A great deal/somewhat	173.2	60.9
18-44	Not very much/not at all	97.0	34.1
18-44	Other	*	*
45-64	A great deal/somewhat	1,737.5	45.0
45-64	Not very much/not at all	1,852.4	47.9
45-64	Other	275.4	7.1
65+	A great deal/somewhat	1,912.8	50.6
65+	Not very much/not at all	1,549.6	41.0
65+	Other	315.9	8.4

Age_Group	Has_treatment_helped_with_living_life_you_want_to_lead	n_weighted	percent_weighted
18-44	A great deal/somewhat	153.5	54.0
18-44	Not very much/not at all	105.1	37.0
18-44	Other	*	*
45-64	A great deal/somewhat	1,440.3	37.3
45-64	Not very much/not at all	1,976.0	51.1
45-64	Other	449.0	11.6
65+	A great deal/somewhat	1,599.5	42.3
65+	Not very much/not at all	1,700.0	45.0
65+	Other	478.9	12.7

Sex

Thinking about any treatments you have ever received for your arthritis condition(s), has the treatment(s) helped with the following?

Sex	Has_treatment_helped_with_pain	n_weighted	percent_weighted
Female	A great deal/somewhat	2,480.0	53.4
Female	Not very much/not at all	1,868.5	40.2
Female	Other	296.4	6.4
Male	A great deal/somewhat	1,831.7	55.8
Male	Not very much/not at all	1,230.5	37.5
Male	Other	220.9	6.7

Sex	Has_treatment_helped_with_fatigue	n_weighted	percent_weighted
Female	A great deal/somewhat	1,045.0	22.5
Female	Not very much/not at all	2,618.8	56.4
Female	Other	981.2	21.1
Male	A great deal/somewhat	817.2	24.9
Male	Not very much/not at all	1,694.7	51.6
Male	Other	771.1	23.5

Sex	Has_treatment_helped_with_stiffness	n_weighted	percent_weighted
Female	A great deal/somewhat	2,196.1	47.3
Female	Not very much/not at all	2,101.0	45.2
Female	Other	347.9	7.5
Male	A great deal/somewhat	1,627.5	49.6
Male	Not very much/not at all	1,398.0	42.6
Male	Other	257.5	7.8

Sex	Has_treatment_helped_with_living_life_you_want_to_lead	n_weighted	percent_weighted
Female	A great deal/somewhat	1,815.0	39.1
Female	Not very much/not at all	2,262.4	48.7
Female	Other	567.6	12.2
Male	A great deal/somewhat	1,378.3	42.0
Male	Not very much/not at all	1,518.6	46.3
Male	Other	386.1	11.8

12) Physical or manual demands

Physical or manual demands remained the biggest reported issue affecting an individual's ability to work across all age groups and across condition types

To what extent have the following aspects of your job impacted your ability to work:

- *The physical / manual demands of my role*
- *Lack of adjustments from my employer*
- *Limited flexibility in my role*

Age grouped

Age_Group	PhysicalDemands	n_weighted	percent_weighted
18-44	Not very much/not at all	56.5	19.9
18-44	Other	74.1	26.1
18-44	To a great extent/somewhat	153.8	54.1
45-64	Not very much/not at all	367.0	9.5
45-64	Other	1,622.0	42.0
45-64	To a great extent/somewhat	1,876.3	48.5
65+	Not very much/not at all	194.7	5.2
65+	Other	2,713.6	71.8
65+	To a great extent/somewhat	870.0	23.0

Age_Group	LackAdjustments	n_weighted	percent_weighted
18-44	Not very much/not at all	98.8	34.7
18-44	Other	94.3	33.2
18-44	To a great extent/somewhat	91.3	32.1
45-64	Not very much/not at all	930.2	24.1
45-64	Other	2,031.8	52.6
45-64	To a great extent/somewhat	903.4	23.4
65+	Not very much/not at all	480.2	12.7
65+	Other	2,946.2	78.0
65+	To a great extent/somewhat	352.0	9.3

Age_Group	Flexibility	n_weighted	percent_weighted
18-44	Not very much/not at all	72.2	25.4
18-44	Other	83.6	29.4
18-44	To a great extent/somewhat	128.6	45.2
45-64	Not very much/not at all	635.5	16.4
45-64	Other	1,735.7	44.9
45-64	To a great extent/somewhat	1,494.2	38.7
65+	Not very much/not at all	304.5	8.1
65+	Other	2,794.1	74.0
65+	To a great extent/somewhat	679.7	18.0

Most impactful or only condition- grouped

To what extent have the following aspects of your job impacted your ability to work:

- *The physical / manual demands of my role*
- *Lack of adjustments from my employer*
- *Limited flexibility in my role*

Main_Condition_Grouped	PhysicalDemands	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Not very much/not at all	74.9	9.1
Arthritis Other/Unknown (including Gout)	Other	495.0	60.3
Arthritis Other/Unknown (including Gout)	To a great extent/somewhat	251.0	30.6
Autoimmune Arthritis Conditions	Not very much/not at all	79.9	13.4
Autoimmune Arthritis Conditions	Other	185.4	31.0
Autoimmune Arthritis Conditions	To a great extent/somewhat	332.5	55.6
Osteoarthritis	Not very much/not at all	463.4	7.1
Osteoarthritis	Other	3,729.3	57.3
Osteoarthritis	To a great extent/somewhat	2,316.6	35.6

Main_Condition_Grouped	LackAdjustments	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Not very much/not at all	141.0	17.2
Arthritis Other/Unknown (including Gout)	Other	566.5	69.0
Arthritis Other/Unknown (including Gout)	To a great extent/somewhat	113.5	13.8
Autoimmune Arthritis Conditions	Not very much/not at all	181.1	30.3
Autoimmune Arthritis Conditions	Other	246.9	41.3
Autoimmune Arthritis Conditions	To a great extent/somewhat	169.8	28.4
Osteoarthritis	Not very much/not at all	1,187.0	18.2
Osteoarthritis	Other	4,258.8	65.4
Osteoarthritis	To a great extent/somewhat	1,063.4	16.3

Main_Condition_Grouped	Flexibility	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Not very much/not at all	100.3	12.2
Arthritis Other/Unknown (including Gout)	Other	516.9	63.0
Arthritis Other/Unknown (including Gout)	To a great extent/somewhat	203.8	24.8
Autoimmune Arthritis Conditions	Not very much/not at all	122.5	20.5
Autoimmune Arthritis Conditions	Other	207.0	34.6
Autoimmune Arthritis Conditions	To a great extent/somewhat	268.2	44.9
Osteoarthritis	Not very much/not at all	789.3	12.1
Osteoarthritis	Other	3,889.5	59.8
Osteoarthritis	To a great extent/somewhat	1,830.5	28.1

The effects and impact of arthritis are disproportionately felt by individuals from lower social grades who consistently reported a greater impact of arthritis on their ability to work

To what extent have the following aspects of your job impacted your ability to work:

- *The physical / manual demands of my role*
- *Lack of adjustments from my employer*
- *Limited flexibility in my role*

Social_grade	PhysicalDemands	n_weighted	percent_weighted
Net: ABC1	Not very much/not at all	409.3	10.1
Net: ABC1	Other	2,411.3	59.3
Net: ABC1	To a great extent/somewhat	1,244.9	30.6
Net: C2DE	Not very much/not at all	199.2	5.4
Net: C2DE	Other	1,881.7	51.4
Net: C2DE	To a great extent/somewhat	1,579.1	43.1
Other	Not very much/not at all	*	*
Other	Other	116.8	57.7
Other	To a great extent/somewhat	76.1	37.6

Social_grade	LackAdjustments	n_weighted	percent_weighted
Net: ABC1	Not very much/not at all	828.1	20.4
Net: ABC1	Other	2,667.8	65.6
Net: ABC1	To a great extent/somewhat	569.6	14.0
Net: C2DE	Not very much/not at all	654.6	17.9
Net: C2DE	Other	2,270.2	62.0
Net: C2DE	To a great extent/somewhat	735.2	20.1
Other	Not very much/not at all	*	*
Other	Other	134.3	66.3
Other	To a great extent/somewhat	*	*

Social_grade	Flexibility	n_weighted	percent_weighted
Net: ABC1	Not very much/not at all	607.0	14.9
Net: ABC1	Other	2,495.6	61.4
Net: ABC1	To a great extent/somewhat	962.7	23.7
Net: C2DE	Not very much/not at all	383.8	10.5
Net: C2DE	Other	1,997.3	54.6
Net: C2DE	To a great extent/somewhat	1,278.9	34.9
Other	Not very much/not at all	*	*
Other	Other	120.4	59.5
Other	To a great extent/somewhat	60.8	30.0

13) Employment

Those with Autoimmune Inflammatory Conditions reported the worst outcomes for work questions

To what extent, if at all, have any of the following specific aspects of your arthritis condition(s) ever impacted your ability to work:

- *Arthritis symptoms in your joints and spine, including feelings of pain and stiffness*
- *Attending healthcare appointments for your arthritis condition*
- *Wider impacts of your arthritis condition(s), including fatigue (extreme tiredness that doesn't improve with rest), low mood, or anxiety*

Most impactful or only condition- grouped

Main_Condition_Grouped	Symptoms_in_joints	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Not very much/not at all	258.5	31.5
Arthritis Other/Unknown (including Gout)	Other	80.6	9.8
Arthritis Other/Unknown (including Gout)	To a great extent/somewhat	481.8	58.7
Autoimmune Arthritis Conditions	Not very much/not at all	129.4	21.6
Autoimmune Arthritis Conditions	Other	*	*
Autoimmune Arthritis Conditions	To a great extent/somewhat	445.9	74.6
Osteoarthritis	Not very much/not at all	1,872.8	28.8
Osteoarthritis	Other	672.7	10.3
Osteoarthritis	To a great extent/somewhat	3,963.8	60.9

Main_Condition_Grouped	Attending_healthcare	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Not very much/not at all	467.8	57.0
Arthritis Other/Unknown (including Gout)	Other	169.9	20.7
Arthritis Other/Unknown (including Gout)	To a great extent/somewhat	183.3	22.3
Autoimmune Arthritis Conditions	Not very much/not at all	296.5	49.6
Autoimmune Arthritis Conditions	Other	*	*
Autoimmune Arthritis Conditions	To a great extent/somewhat	260.4	43.6
Osteoarthritis	Not very much/not at all	3,642.0	56.0
Osteoarthritis	Other	1,160.1	17.8
Osteoarthritis	To a great extent/somewhat	1,707.2	26.2

Main_Condition_Grouped	Wider_impacts_of_condition	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	Not very much/not at all	331.3	40.4
Arthritis Other/Unknown (including Gout)	Other	94.4	11.5
Arthritis Other/Unknown (including Gout)	To a great extent/somewhat	395.3	48.1
Autoimmune Arthritis Conditions	Not very much/not at all	136.1	22.8
Autoimmune Arthritis Conditions	Other	*	*
Autoimmune Arthritis Conditions	To a great extent/somewhat	438.6	73.4
Osteoarthritis	Not very much/not at all	2,528.1	38.8
Osteoarthritis	Other	730.9	11.2
Osteoarthritis	To a great extent/somewhat	3,250.2	49.9

14) Retirement

Retirement due to arthritis was higher in those who were of working age, a pattern which held true even when looking at conditions individually

Those with Autoimmune Inflammatory Conditions were more likely to report that their arthritis played a part in their retirement, regardless of age

Those retired

Retired	n_unweighted	n_weighted	percent_unweighted	percent_weighted
No	4,192	3,476.8	52.9	43.9
Yes	3,351	4,082.7	42.3	51.5
	385	368.5	*	*

Of those retired, to what extent, if at all, did arthritis play a part in your decision to retire?

Most impactful or only condition - grouped

Age_Group	Main_Condition_Grouped	Arthritis_retirement	n_weighted	percent_weighted
18-64 years	Arthritis Other/Unknown (including Gout)	Not very much/not at all	*	*
18-64 years	Arthritis Other/Unknown (including Gout)	Other	*	*
18-64 years	Arthritis Other/Unknown (including Gout)	To a great extent/somewhat	*	*
18-64 years	Autoimmune Arthritis Conditions	Not very much/not at all	*	*
18-64 years	Autoimmune Arthritis Conditions	To a great extent/somewhat	37.2	74.3
18-64 years	Osteoarthritis	Not very much/not at all	246.7	39.2
18-64 years	Osteoarthritis	Other	*	*
18-64 years	Osteoarthritis	To a great extent/somewhat	372.5	59.3
65+ years	Arthritis Other/Unknown (including Gout)	Not very much/not at all	262.4	73.5
65+ years	Arthritis Other/Unknown (including Gout)	Other	*	*
65+ years	Arthritis Other/Unknown (including Gout)	To a great extent/somewhat	91.6	25.7
65+ years	Autoimmune Arthritis Conditions	Not very much/not at all	36.0	56.2
65+ years	Autoimmune Arthritis Conditions	Other	*	*

Age_Group	Main_Condition_Grouped	Arthritis_retirement	n_weighted	percent_weighted
65+ years	Autoimmune Arthritis Conditions	To a great extent/somewhat	27.7	43.2
65+ years	Osteoarthritis	Not very much/not at all	2,059.8	70.0
65+ years	Osteoarthritis	Other	*	*
65+ years	Osteoarthritis	To a great extent/somewhat	871.9	29.6

15) Pain, fatigue, low mood or anxiousness, and isolation

Regardless of age, people with Autoimmune Inflammatory Conditions reported experiencing more pain, fatigue, low mood or anxiousness and isolation

How often, if at all, have you experienced the following symptoms in the past 12 months because of your arthritis condition(s)?

Pain

Main_Condition_Grouped	Age_Group	Pain	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	18-44	All of the time/most of the time	50.0	54.5
Arthritis Other/Unknown (including Gout)	18-44	Some of the time/Never	41.8	45.5
Arthritis Other/Unknown (including Gout)	45-64	All of the time/most of the time	185.3	59.3
Arthritis Other/Unknown (including Gout)	45-64	Other	*	*
Arthritis Other/Unknown (including Gout)	45-64	Some of the time/Never	126.2	40.4
Arthritis Other/Unknown (including Gout)	65+	All of the time/most of the time	175.4	42.1
Arthritis Other/Unknown (including Gout)	65+	Other	*	*
Arthritis Other/Unknown (including Gout)	65+	Some of the time/Never	240.2	57.7

Main_Condition_Grouped	Age_Group	Pain	n_weighted	percent_weighted
Autoimmune Arthritis Conditions	18-44	All of the time/most of the time	121.3	63.0
Autoimmune Arthritis Conditions	18-44	Other	*	*
Autoimmune Arthritis Conditions	18-44	Some of the time/Never	70.0	36.3
Autoimmune Arthritis Conditions	45-64	All of the time/most of the time	222.4	66.9
Autoimmune Arthritis Conditions	45-64	Other	*	*
Autoimmune Arthritis Conditions	45-64	Some of the time/Never	109.7	33.0
Autoimmune Arthritis Conditions	65+	All of the time/most of the time	46.5	63.9
Autoimmune Arthritis Conditions	65+	Some of the time/Never	26.3	36.1
Osteoarthritis	45-64	All of the time/most of the time	2,130.4	66.2
Osteoarthritis	45-64	Some of the time/Never	1,089.9	33.8
Osteoarthritis	65+	All of the time/most of the time	1,844.3	56.1
Osteoarthritis	65+	Other	*	*
Osteoarthritis	65+	Some of the time/Never	1,440.7	43.8

Fatigue (extreme tiredness not improved by rest / a lack of energy)

Main_Condition_Grouped	Age_Group	Fatigue	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	18-44	All of the time/most of the time	50.4	54.9
Arthritis Other/Unknown (including Gout)	18-44	Other	*	*
Arthritis Other/Unknown (including Gout)	18-44	Some of the time/Never	39.7	43.2
Arthritis Other/Unknown (including Gout)	45-64	All of the time/most of the time	156.9	50.2
Arthritis Other/Unknown (including Gout)	45-64	Other	*	*
Arthritis Other/Unknown (including Gout)	45-64	Some of the time/Never	144.7	46.3
Arthritis Other/Unknown (including Gout)	65+	All of the time/most of the time	138.4	33.2
Arthritis Other/Unknown (including Gout)	65+	Other	*	*
Arthritis Other/Unknown (including Gout)	65+	Some of the time/Never	270.4	64.9
Autoimmune Arthritis Conditions	18-44	All of the time/most of the time	128.2	66.6
Autoimmune Arthritis Conditions	18-44	Other	*	*
Autoimmune Arthritis Conditions	18-44	Some of the time/Never	63.1	32.8
Autoimmune Arthritis Conditions	45-64	All of the time/most of the time	211.5	63.6
Autoimmune Arthritis Conditions	45-64	Other	*	*

Main_Condition_Grouped	Age_Group	Fatigue	n_weighted	percent_weighted
Autoimmune Arthritis Conditions	45-64	Some of the time/Never	117.4	35.3
Autoimmune Arthritis Conditions	65+	All of the time/most of the time	41.3	56.7
Autoimmune Arthritis Conditions	65+	Some of the time/Never	31.5	43.3
Osteoarthritis	45-64	All of the time/most of the time	1,648.9	51.2
Osteoarthritis	45-64	Other	40.4	1.3
Osteoarthritis	45-64	Some of the time/Never	1,531.0	47.5
Osteoarthritis	65+	All of the time/most of the time	1,211.5	36.8
Osteoarthritis	65+	Other	33.7	1.0
Osteoarthritis	65+	Some of the time/Never	2,043.7	62.1

Stiffness or reduced range of motion

Main_Condition_Grouped	Age_Group	Stiffness	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	18-44	All of the time/most of the time	51.5	56.1
Arthritis Other/Unknown (including Gout)	18-44	Some of the time/Never	40.3	43.9
Arthritis Other/Unknown (including Gout)	45-64	All of the time/most of the time	186.5	59.7
Arthritis Other/Unknown (including Gout)	45-64	Other	*	*
Arthritis Other/Unknown (including Gout)	45-64	Some of the time/Never	124.0	39.7
Arthritis Other/Unknown (including Gout)	65+	All of the time/most of the time	193.8	46.5
Arthritis Other/Unknown (including Gout)	65+	Other	*	*
Arthritis Other/Unknown (including Gout)	65+	Some of the time/Never	220.6	53.0
Autoimmune Arthritis Conditions	18-44	All of the time/most of the time	123.4	64.1
Autoimmune Arthritis Conditions	18-44	Other	*	*
Autoimmune Arthritis Conditions	18-44	Some of the time/Never	68.7	35.7
Autoimmune Arthritis Conditions	45-64	All of the time/most of the time	233.3	70.2
Autoimmune Arthritis Conditions	45-64	Other	*	*
Autoimmune Arthritis Conditions	45-64	Some of the time/Never	98.7	29.7

Main_Condition_Grouped	Age_Group	Stiffness	n_weighted	percent_weighted
Autoimmune Arthritis Conditions	65+	All of the time/most of the time	50.3	69.1
Autoimmune Arthritis Conditions	65+	Some of the time/Never	*	*
Osteoarthritis	45-64	All of the time/most of the time	2,204.9	68.5
Osteoarthritis	45-64	Other	*	*
Osteoarthritis	45-64	Some of the time/Never	1,010.8	31.4
Osteoarthritis	65+	All of the time/most of the time	2,037.4	61.9
Osteoarthritis	65+	Other	*	*
Osteoarthritis	65+	Some of the time/Never	1,249.5	38.0

Feeling low or anxious

Main_Condition_Grouped	Age_Group	Low_mood_anxiety	n_weighted	percent_weighted
Arthritis Other/Unknown (including Gout)	18-44	All of the time/most of the time	38.1	41.5
Arthritis Other/Unknown (including Gout)	18-44	Other	*	*
Arthritis Other/Unknown (including Gout)	18-44	Some of the time/Never	52.0	56.6
Arthritis Other/Unknown (including Gout)	45-64	All of the time/most of the time	114.3	36.6
Arthritis Other/Unknown (including Gout)	45-64	Other	*	*
Arthritis Other/Unknown (including Gout)	45-64	Some of the time/Never	190.3	60.9
Arthritis Other/Unknown (including Gout)	65+	All of the time/most of the time	72.7	17.5
Arthritis Other/Unknown (including Gout)	65+	Other	*	*
Arthritis Other/Unknown (including Gout)	65+	Some of the time/Never	340.2	81.7
Autoimmune Arthritis Conditions	18-44	All of the time/most of the time	93.9	48.8
Autoimmune Arthritis Conditions	18-44	Other	*	*
Autoimmune Arthritis Conditions	18-44	Some of the time/Never	96.9	50.3
Autoimmune Arthritis Conditions	45-64	All of the time/most of the time	140.0	42.1

Main_Condition_Grouped	Age_Group	Low_mood_anxiety	n_weighted	percent_weighted
Autoimmune Arthritis Conditions	45-64	Other	*	*
Autoimmune Arthritis Conditions	45-64	Some of the time/Never	189.8	57.1
Autoimmune Arthritis Conditions	65+	All of the time/most of the time	*	*
Autoimmune Arthritis Conditions	65+	Other	*	*
Autoimmune Arthritis Conditions	65+	Some of the time/Never	49.9	68.5
Osteoarthritis	45-64	All of the time/most of the time	1,110.3	34.5
Osteoarthritis	45-64	Other	36.6	1.1
Osteoarthritis	45-64	Some of the time/Never	2,073.4	64.4
Osteoarthritis	65+	All of the time/most of the time	643.6	19.6
Osteoarthritis	65+	Other	28.3	0.9
Osteoarthritis	65+	Some of the time/Never	2,617.1	79.6